



SYMBOLGY CONFIGURATION MANAGEMENT CHANGE PROPOSAL FORM			
CHANGE PROPOSAL NUMBER		MIL00-24B	
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION
PM FATDS	ARMY	1 September 2000	August 23, 2001
CHANGE PROPOSAL TITLE			
ADD NEW SYMBOL, RESTRICTIVE FIRE AREA (RFA), RECTANGULAR			
SUGGESTED CHANGE			
<p>The Army has a requirement to add a new symbol to MIL-STD-2525B.</p> <ol style="list-style-type: none"> 1. The purpose of the rectangular Restrictive Fire Area symbol is to graphically display rectangular Restrictive Fire Areas (RFA) to commanders in the Common Operational Picture (COP)/Common Tactical Picture (CTP) areas where fire effects for a specific unit or weapon system are constrained by terrain restrictions. 2. Recommend adding to hierarchy item 2.X.4, Fire Support, under the "Areas", "Command and Control Areas" hierarchy, 2.X.4.3.2, figure B-17, and table B-IV. 			
OVERVIEW			
<p>Currently, the standard does not contain a symbol depicting rectangular Restrictive Fire Areas. In general, the rectangular Restrictive Fire Area graphic depicts an area in which specific restrictions are imposed and into which fires that exceed those restrictions will not be delivered without coordination with the establishing headquarters. Incorporation into MIL STD 2525B, which will be used in JMTK and GSD, will allow the symbol to be transmitted/received by all battlefield systems. The rectangular Restrictive Fire Area is a required symbol in the COP/CTP to be shared across the battlefield. The development of the COP/CTP is required of all ABCS component systems. Fire Support systems are the producer of the rectangular Restrictive Fire Area for the COP/CTP. Fire Support systems will retain this capability for fielding throughout the Army and USMC.</p>			
OPERATIONAL DESCRIPTION			
<p>The purpose of the rectangular Restrictive Fire Area symbol is to graphically display to commanders and operators an area in which specific restrictions are imposed and into which fires that exceed those restrictions will not be delivered without coordination with the establishing headquarters. The rectangular Restrictive Fire Areas are unique to specific weapons and units. Two (2) point locations and a width are required to graphically display a rectangular Restrictive Fire Area. The minimum information required to interoperate with another system is defined below.</p>			
IMPLEMENTATION			
<p>Description: Fire Support, Areas, Command and Control Areas, Restrictive Fire Area (RFA), Rectangular</p> <p>Parameters:</p> <ol style="list-style-type: none"> 1. Anchor Points. This graphic requires two anchor points and a width, defined in meters, to define the boundary of the area. Points 1 and 2 will be located in the center of two opposing sides of the rectangle. 2. Size/Shape. Size: As determined by the anchor points. The anchor points determine the length of the rectangle. The width, defined in meters, will determine the width of the rectangle. Shape: Rectangle. The information fields should be moveable and scaleable. 3. Orientation. As determined by the anchor points. 4. Text. Is used to identify the Restrictive Fire Area by weapon system or unit. <p>Fixed/Dynamic: Dynamic</p>			

SYMBOLGY CONFIGURATION MANAGEMENT CHANGE PROPOSAL FORM			
CHANGE PROPOSAL NUMBER		MIL00-24B	
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION
PM FATDS	ARMY	1 September 2000	August 23, 2001
CHANGE PROPOSAL TITLE			
ADD NEW SYMBOL, RESTRICTIVE FIRE AREA (RFA), RECTANGULAR			
<p>Hierarchy: 2.X.4.3.2.5.2</p> <p>Symbol ID: G*F*ACRR--****X</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p><u>Tactical Graphic:</u></p>  </div> <div style="text-align: center;"> <p><u>Example:</u></p>  </div> </div>			
JIEO ANALYSIS			
OVERVIEW:			
POTENTIAL CONFLICTS WITH EXISTING SYMBOLOGY:			
CONFORMANCE TO SYMBOL GUIDELINES:			
ADEQUACY AND IMPACT ON OTHER PROGRAMS:			
C/S/A COMMENTS			
DECISION NOTICE			
SSMC 3-01: Approved as amended. MIL00-24A amended by adding text to point out that width will be defined in meters. See parameters and graphic example above and the example of Table B-IV in attachment A.			

Attachment A to MIL00-24B, Add New Symbol, Restrictive Fire Area (RFA), Rectangular

Tasks:

1. Modify Figure B-17 to reflect new hierarchy structure (Figure B-17 becomes Figures B-17.1 and B-17.2) and addition of new Fire Support graphics.




Figure B-17.1. Fire Support.




Figure B-17.2. Fire support.

Attachment A to MIL00-24B, Add New Symbol, Restrictive Fire Area (RFA), Rectangular

2. Modify Table B-III to reflect restructured hierarchy numbers, provide new symbol IDs for restructured graphics and addition of new graphics' hierarchy numbers and symbol IDs.




HIERARCHY	CODE SCHEME	AFFILIATION	CATEGORY	STATUS	FUNCTION ID	SIZE/MOBILITY	COUNTRY CODE	ORDER OF BATTLE	DESCRIPTION
2.X.4	G	*	F	*	-- -- --	**	**	X	FIRE SUPPORT
2.X.4.1	G	*	F	*	P- -- --	**	**	X	POINT
2.X.4.1.1	G	*	F	*	PT -- --	**	**	X	TARGET
2.X.4.1.1.1	G	*	F	*	PT S- --	**	**	X	POINT/SINGLE TARGET
2.X.4.1.1.2	G	*	F	*	PT N- --	**	**	X	NUCLEAR TARGET
2.X.4.1.2	G	*	F	*	PC -- --	**	**	X	COMMAND AND CONTROL
2.X.4.1.2.1	G	*	F	*	PC F- --	**	**	X	FIRE SUPPORT STATION
2.X.4.1.2.2	G	*	F	*	PC S- --	**	**	X	SURVEY CONTROL POINT (SCP)
2.X.4.1.2.3	G	*	F	*	PC B- --	**	**	X	FIRING POINT
2.X.4.1.2.4	G	*	F	*	PC R- --	**	**	X	RELOAD POINT
2.X.4.1.2.5	G	*	F	*	PC H- --	**	**	X	HIDE POINT
2.X.4.1.2.6	G	*	F	*	PC L- --	**	**	X	LAUNCH POINT
2.X.4.2	G	*	F	*	L- -- --	**	**	X	LINES
2.X.4.2.1	G	*	F	*	LT -- --	**	**	X	LINEAR TARGET
2.X.4.2.1.1	G	*	F	*	LT S- --	**	**	X	LINEAR SMOKE TARGET
2.X.4.2.1.2	G	*	F	*	LT F- --	**	**	X	FINAL PROTECTIVE FIRE (FPF)
2.X.4.2.2	G	*	F	*	LC -- --	**	**	X	COMMAND AND CONTROL
2.X.4.2.2.1	G	*	F	*	LC F- --	**	**	X	FIRE SUPPORT COORDINATION LINE (FSCL)
2.X.4.2.2.2	G	*	F	*	LC C- --	**	**	X	COORDINATED FIRE LINE (CFL)
2.X.4.2.2.3	G	*	F	*	LC N- --	**	**	X	NO-FIRE LINE (NFL)
2.X.4.2.2.4	G	*	F	*	LC R- --	**	**	X	RESTRICTIVE FIRE LINE (RFL)
2.X.4.3	G	*	F	*	A- -- --	**	**	X	AREAS
2.X.4.3.1	G	*	F	*	AT -- --	**	**	X	AREA TARGET
2.X.4.3.1.1	G	*	F	*	AT C- --	**	**	X	CIRCULAR TARGET
2.X.4.3.1.2	G	*	F	*	AT R- --	**	**	X	RECTANGULAR TARGET
2.X.4.3.1.3	G	*	F	*	AT G- --	**	**	X	SERIES OR GROUP OF TARGETS
2.X.4.3.1.4	G	*	F	*	AT S- --	**	**	X	SMOKE
2.X.4.3.1.5	G	*	F	*	AT B- --	**	**	X	BOMB AREA
2.X.4.3.2	G	*	F	*	AC -- --	**	**	X	COMMAND AND CONTROL
2.X.4.3.2.1	G	*	F	*	AC S- --	**	**	X	FIRE SUPPORT AREA (FSA)
2.X.4.3.2.1.1	G	*	F	*	AC SI --	**	**	X	FIRE SUPPORT AREA (FSA), IRREGULAR
2.X.4.3.2.1.2	G	*	F	*	AC SR --	**	**	X	FIRE SUPPORT AREA (FSA), RECTANGULAR
2.X.4.3.2.2	G	*	F	*	AC A- --	**	**	X	AIRSPACE COORDINATION AREA (ACA)
2.X.4.3.2.2.1	G	*	F	*	AC AI --	**	**	X	AIRSPACE COORDINATION AREA (ACA), IRREGULAR
2.X.4.3.2.2.2	G	*	F	*	AC AR --	**	**	X	AIRSPACE COORDINATION AREA (ACA), RECTANGULAR
2.X.4.3.2.3	G	*	F	*	AC F- --	**	**	X	FREE FIRE AREA (FFA)
2.X.4.3.2.3.1	G	*	F	*	AC FI --	**	**	X	FREE FIRE AREA (FFA), IRREGULAR
2.X.4.3.2.3.2	G	*	F	*	AC FR --	**	**	X	FREE FIRE AREA (FFA), RECTANGULAR
2.X.4.3.2.4	G	*	F	*	AC N- --	**	**	X	NO-FIRE AREA (NFA)
2.X.4.3.2.4.1	G	*	F	*	AC NI --	**	**	X	NO-FIRE AREA (NFA), IRREGULAR
2.X.4.3.2.4.2	G	*	F	*	AC NR --	**	**	X	NO-FIRE AREA (NFA), RECTANGULAR
2.X.4.3.2.5	G	*	F	*	AC R- --	**	**	X	RESTRICTIVE FIRE AREA (RFA)
2.X.4.3.2.5.1	G	*	F	*	AC RI --	**	**	X	RESTRICTIVE FIRE AREA (RFA), IRREGULAR
2.X.4.3.2.5.2	G	*	F	*	AC RR --	**	**	X	RESTRICTIVE FIRE AREA (RFA), RECTANGULAR
2.X.4.3.2.6	G	*	F	*	AC P- --	**	**	X	POSITION AREA FOR ARTILLERY (PAA)
2.X.4.3.2.6.1	G	*	F	*	AC PI --	**	**	X	POSITION AREA FOR ARTILLERY (PAA),

Attachment A to MIL00-24B, Add New Symbol, Restrictive Fire Area (RFA), Rectangular

DESCRIPTION	ORDER OF BATTLE	COUNTRY CODE	SIZE/MOBILITY	FUNCTION ID	STATUS	CATEGORY	AFFILIATION	CODE SCHEME	HIERARCHY
IRREGULAR									
TARGET ACQUISITION ZONES	X	**	**	AZ -- --	*	F	*	G	2.X.4.3.3
ARTILLERY TARGET INTELLIGENCE (ATI) ZONE	X	**	**	AZ I- --	*	F	*	G	2.X.4.3.3.1
ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, IRREGULAR	X	**	**	AZ II --	*	F	*	G	2.X.4.3.3.1.1
ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, RECTANGULAR	X	**	**	AZ IR --	*	F	*	G	2.X.4.3.3.1.2
CALL FOR FIRE ZONE (CFFZ)	X	**	**	AZ X- --	*	F	*	G	2.X.4.3.3.2
CALL FOR FIRE ZONE (CFFZ), IRREGULAR	X	**	**	AZ XI --	*	F	*	G	2.X.4.3.3.2.1
CALL FOR FIRE ZONE (CFFZ), RECTANGULAR	X	**	**	AZ XR --	*	F	*	G	2.X.4.3.3.2.2
SENSOR ZONE	X	**	**	AZ S- --	*	F	*	G	2.X.4.3.3.3
SENSOR ZONE, IRREGULAR	X	**	**	AZ SI --	*	F	*	G	2.X.4.3.3.3.1
SENSOR ZONE, RECTANGULAR	X	**	**	AZ SR --	*	F	*	G	2.X.4.3.3.3.2
CENSOR ZONE	X	**	**	AZ C- --	*	F	*	G	2.X.4.3.3.4
CENSOR ZONE, IRREGULAR	X	**	**	AZ CI --	*	F	*	G	2.X.4.3.3.4.1
CENSOR ZONE, RECTANGULAR	X	**	**	AZ CR --	*	F	*	G	2.X.4.3.3.4.2
DEAD SPACE AREA (DA)	X	**	**	AZ D- --	*	F	*	G	2.X.4.3.3.5
DEAD SPACE AREA (DA), IRREGULAR	X	**	**	AZ DI --	*	F	*	G	2.X.4.3.3.5.1
DEAD SPACE AREA (DA), RECTANGULAR	X	**	**	AZ DR --	*	F	*	G	2.X.4.3.3.5.2
CRITICAL FRIENDLY ZONE (CFZ)	X	**	**	AZ F- --	*	F	*	G	2.X.4.3.3.6
CRITICAL FRIENDLY ZONE (CFZ), IRREGULAR	X	**	**	AZ FI --	*	F	*	G	2.X.4.3.3.6.1
CRITICAL FRIENDLY ZONE (CFZ), RECTANGULAR	X	**	**	AZ FR --	*	F	*	G	2.X.4.3.3.6.2
ZONE OF RESPONSIBILITY (ZOR)	X	**	**	AZ Z- --	*	F	*	G	2.X.4.3.3.7
ZONE OF RESPONSIBILITY (ZOR), IRREGULAR	X	**	**	AZ ZI --	*	F	*	G	2.X.4.3.3.7.1
ZONE OF RESPONSIBILITY (ZOR), RECTANGULAR	X	**	**	AZ ZR --	*	F	*	G	2.X.4.3.3.7.2
TARGET BUILD-UP AREA (TBA)	X	**	**	AZ B- --	*	F	*	G	2.X.4.3.3.8
TARGET BUILD-UP AREA (TBA), IRREGULAR	X	**	**	AZ BI --	*	F	*	G	2.X.4.3.3.8.1
TARGET BUILD-UP AREA (TBA), RECTANGULAR	X	**	**	AZ BR --	*	F	*	G	2.X.4.3.3.8.2
TARGET VALUE AREA (TVAR)	X	**	**	AZ V- --	*	F	*	G	2.X.4.3.3.9
TARGET VALUE AREA (TVAR), IRREGULAR	X	**	**	AZ VI --	*	F	*	G	2.X.4.3.3.9.1
TARGET VALUE AREA (TVAR), RECTANGULAR	X	**	**	AZ VR --	*	F	*	G	2.X.4.3.3.9.2
WEAPON/RADAR RANGE FAN	X	**	**	AX -- --	*	F	*	G	2.X.4.3.4
WEAPON/RADAR RANGE FAN, CIRCULAR	X	**	**	AX C- --	*	F	*	G	2.X.4.3.4.1
WEAPON/RADAR RANGE FAN, SECTOR	X	**	**	AX S- --	*	F	*	G	2.X.4.3.4.2

Attachment A to MIL00-24B, Add New Symbol, Restrictive Fire Area (RFA), Rectangular

3. Modify and amend Table B-IV as needed to agree with Figure B-17.1, B-17.2 and Table B-III as shown above.

DESCRIPTION	STATIC/ DYNAMIC	HIERARCHY	TACTICAL GRAPHIC
		SYM-ID	
FIRE SUPPORT AREAS COMMAND AND CONTROL RESTRICTIVE FIRE AREA (RFA)	N/A	2.X.4.3.2.5	
FIRE SUPPORT AREAS COMMAND AND CONTROL RESTRICTIVE FIRE AREA (RFA) IRREGULAR <u>Parameters</u> 1. Anchor points. This graphic requires at least three anchor points to define the boundary of the area. Add as many points as necessary to accurately reflect the area's size and shape. 2. Size/Shape. Determined by the anchor points. The information fields should be moveable and scalable as a block within the area. 3. Orientation. Not applicable.	D	2.X.4.3.2.5.1	
		G*FPACRI-- ****X	
		Example	
FIRE SUPPORT AREAS COMMAND AND CONTROL RESTRICTIVE FIRE AREA (RFA) RECTANGULAR <u>Parameters</u> 1. Anchor Points. This graphic requires two anchor points and a width, defined in meters, to define the boundary of the area. Points 1 and 2 will be located in the center of two opposing sides of the rectangle. 2. Size/Shape. Size: As determined by the anchor points. The anchor points determine the length of the rectangle. The width, defined in meters, will determine the width of the rectangle. Shape: Rectangle. The information fields should be moveable and scaleable. 3. Orientation. As determined by the anchor points.	D	2.X.4.3.2.5.2	
		G*FPACRR-- ****X	
		Example	